


Poplar Farm Calculation Policy March 2021

Addition and subtraction - EYFS

Key Representations



Notes and guidance


When teaching counting, consider the counting principles at all times.

At this early stage, ensure that children are counting real-life objects. They could start by subitising and counting objects that are identical before moving on to subitising and counting objects that have slight differences such as size or colour. Make sure that the objects are of the same type e.g. apples, cubes, books.


Encourage children to put objects into a line when counting so they have a clear start and end point.

The five frame can be used to support children to subitise and compare numbers within 5

Numerals may be introduced to children but they are not expected to write them at this stage. They could use informal jottings and/or drawing to record their thinking.




EYFS Subtraction





Addition Year 1-6


Skill	Year	Representations and models	
Add two 1-digit numbers to 10	1	Part-whole model Bar model Number shapes	Ten frames (within 10) Bead strings (10) Number tracks
Add 1 and 2-digit numbers to 20	1	Part-whole model Bar model Number shapes Ten frames (within 20)	Bead strings (20) Number tracks Number lines (labelled) Straws
Add three 1-digit numbers	2	Part-whole model Bar model	Ten frames (within 20) Number shapes
Add 1 and 2-digit numbers to 100	2	Part-whole model Bar model Number lines (labelled)	Number lines (blank) Straws Hundred square


Skill	Year	Representations and models	
Add two 2-digit numbers	2	Part-whole model Bar model Number lines (blank) Straws	Base 10 Place value counters Column addition
Add with up to 3-digits	3	Part-whole model Bar model	Base 10 Place value counters Column addition
Add with up to 4-digits	4	Part-whole model Bar model	Base 10 Place value counters Column addition
Add with more than 4 digits	5	Part-whole model Bar model	Place value counters Column addition
Add with up to 3 decimal places	5	Part-whole model Bar model	Place value counters Column addition


























Subtraction Year 1 - 6

Skill	Year	Representations and models	
Subtract two 1-digit numbers to 10	1	Part-whole model Bar model Number shapes	Ten frames (within 10) Bead strings (10) Number tracks
Subtract 1 and 2-digit numbers to 20	1	Part-whole model Bar model Number shapes Ten frames (within 20)	Bead string (20) Number tracks Number lines (labelled) Straws
Subtract 1 and 2-digit numbers to 100	2	Part-whole model Bar model Number lines (labelled)	Number lines (blank) Straws Hundred square
Subtract two 2-digit numbers	2	Part-whole model Bar model Number lines (blank) Straws	Base 10 Place value counters Column addition

Skill	Year	Representations and models	
Subtract with up to 3- digits	3	Part-whole model Bar model	Base 10 Place value counters Column addition
Subtract with up to 4- digits	4	Part-whole model Bar model	Base 10 Place value counters Column addition
Subtract with more than 4 digits	5	Part-whole model Bar model	Place value counters Column addition
Subtract with up to 3 decimal places	5	Part-whole model Bar model	Place value counters Column addition







Skill: Subtract numbers with up to 3 digits 435 435 273 273 435 - 273 = 262³435 Ones Hundreds Tens

– 273

262

.111

Hundreds	Tens	Ones
0000	000	ooøø
		Ø
<i>\</i>	$\bigcirc \bigcirc \bigcirc \emptyset \emptyset$	
	DDDDD	


Base 10 and place value counters are the most effective manipulative when subtracting numbers with up to 3 digits.

Year: 3

Ensure children write out their calculation alongside any concrete resources so they can see the links to the written column method.

Plain counters on a place value grid can also be used to support learning.

Skill: Subtract numbers with up to 4 digits Year: 4 Base 10 and place 4,357 ³/₄357 value counters are 4,357 the most effective 2,735 manipulatives when -2735subtracting numbers 4,357 1622 with up to 4 digits. 2,735 Ensure children write out their calculation 4,357 - 2,735 = 1,622alongside any concrete resources so they can see the links to the written column Hundreds Hundreds Tens Ones Thousands Tens Ones **Thousands** 11/1/ method. * * * Plain counters on a place value grid can also be used to support learning.



Skill: Subtract with up to 3 decimal places Year: 5 Place value counters 5.43 ⁴ ¹ 5.43 and plain counters on a place value grid are 2.7 -2.7the most effective manipulative when 2.73 5.43 subtracting decimals 5.43 with 1, 2 and then 3 2.7 decimal places. 5.43 - 2.7 = 2.73Ensure children have experience of subtracting decimals Hundredths Tenths Ones Tenths Hundredths with a variety of decimal places. This includes putting this into context when subtracting money and other measures.

Multiplication and Division - EYFS

EYFS Multiplication

Understand doubling as adding the same number.





Double 2 is 4



Double 3 is 6





Begin to recall doubles and halves using songs and games.

E.g. songs with actions - 'Mr Double -Trouble'; doubling machine games; finding doubles in dominoes.

Recording.

Record calculations in pictures - Numicon pieces can be drawn around.

EYFS Division

Models and Strategies

Children will solve problems in a practical way in the context of real life. They need to see and hear representations of division as sharing and grouping. Pictorial representations are used alongside concrete apparatus.

Solve real-life problems using the sharing and grouping models of division.

Share real objects (e.g. fruit) equally between a number of children, teddy bears etc. The objects are shared, one per set, until the total is exhausted.

E.g. Eight strawberries are shared equally between 4 children. How many strawberries will each child have?









8 shared between 4 is 2.

Each child will have two strawberries.

Grouping.

Repeatedly subtract equal groups of objects until the total is exhausted.

E.g. I have six socks and I group them into pairs. How many pairs do I have?







I have three groups of two socks. I have three pairs of socks.

I have 15 apples. If I put 5 apples into each bag, how many bags can I fill?








There are 3 groups of 5 apples. I can fill 3 bags of apples.

Multiplication Years 1 -6

Skill	Year	Representations and models	
Solve one-step problems with multiplication	1/2	Bar model Number shapes Counters	Ten frames Bead strings Number lines
Multiply 2-digit by 1- digit numbers	3/4	Place value counters Base 10	Short written method Expanded written method
Multiply 3-digit by 1- digit numbers	4	Place value counters Base 10	Short written method
Multiply 4-digit by 1- digit numbers	5	Place value counters	Short written method


Skill	Year	Representations and models	
Multiply 2-digit by 2- digit numbers	5	Place value counters Base 10	Short written method Grid method
Multiply 2-digit by 3- digit numbers	5	Place value counters	Short written method Grid method
Multiply 2-digit by 4- digit numbers	5/6	Formal written method	




Skill: Multiply 2-digit numbers by 1-digit numbers Year: 3/4 Teachers may decide Hundreds 0 н Т to first look at the 3 expanded column --method before 5 × moving on to the 0000 (5×4) 2 0 short multiplication 0000 5 (5×30) method. 7 0 The place value counters should be $34 \times 5 = 170$ used to support the understanding of the method rather than Т н 0 supporting the multiplication, as 3 4 children should use 5 × times table knowledge. 7 0 2

Skill: Multiply 3-digit numbers by 1-digit numbers Year: 3/4 When moving to 3-Hundreds Tens Ones digit by 1-digit Т Н O ---multiplication, 2 4 encourage children to move towards the × short, formal written 8 9 0 method. Base 10 and place value counters $245 \times 4 = 980$ continue to support the understanding of the written method. Hundreds Tens Ones Limit the number of exchanges needed in the questions and move children away from resources when multiplying larger numbers.

Skill: Multiply 4-digit numbers by 1-digit numbers Year: 5 When multiplying 4digit numbers, place value counters are the best manipulative to use to support children in their understanding of the formal written method. $1,826 \times 3 = 5,478$ If children are multiplying larger numbers and Th Н Т О struggling with their times tables, 8 2 6 encourage the use of 3 × multiplication grids so children can focus on 8 the use of the written 2 method.



Skill: Multiply 3-digit numbers by 2-digit numbers



Th	Н	Т	0
	2	3	4
×		3	2
	4	6	8
1 7	1 ⁰	2	0
7	4	8	8

×	200	30	4
30	6,000	900	120
2	400	60	8

Children can continue to use the area model when multiplying 3-digits by 2-digits. Place value counters become more efficient to use but Base 10 can be used to highlight the size of numbers.

Year: 5

Encourage children to move towards the formal written method, seeing the links with the grid method.

 $234 \times 32 = 7,488$

Skill: Multipl	Year: 5/6						
	TTh	Th	Н	Т	0		When multiplying 4- digits by 2-digits, children should be
		2	7	3	9		confident in the written method.
	×			2	8		If they are still struggling with times
	2	1 5	9	1 7	2		tables, provide multiplication grids to support when they
	5 1	4	7 1	8	0		are focusing on the use of the method.
	7	6	6	9	2		Consider where
2,739 × 28 = 76,692							exchanged digits are placed and make sure this is consistent.


Division Years 1 – 6

Skill	Year	Representations and models		
Solve one-step problems with division (sharing)	1/2	Bar model Real life objects	Arrays Counters	
Solve one-step problems with division (grouping)	1/2	Real life objects Number shapes Bead strings Ten frames	Number lines Arrays Counters	
Divide 2-digits by 1- digit (no exchange sharing)	3	Straws Base 10 Bar model	Place value counters Part-whole model	
Divide 2-digits by 1- digit (sharing with exchange)	3	Straws Base 10 Bar model	Place value counters Part-whole model	

Skill	Year	Representations and models		
Divide 2-digits by 1- digit (sharing with remainders)	3/4	Straws Base 10 Bar model	Place value counters Part-whole model	
Divide 2-digits by 1- digit (grouping)	4/5	Place value counters Counters	Place value grid Written short division	
Divide 3-digits by 1- digit (sharing with exchange)	4	Base 10 Bar model	Place value counters Part-whole model	
Divide 3-digits by 1- digit (grouping)	4/5	Place value counters Counters	Place value grid Written short division	


Skill	Year	Representations and models		
Divide 4-digits by 1- digit (grouping)	5	Place value counters Counters	Place value grid Written short division	
Divide multi-digits by 2-digits (short division)	6	Written short division	List of multiples	
Divide multi-digits by 2-digits (long division)	6	Written long division	List of multiples	


Skill: Solve 1-step problems using multiplication (sharing) Year: 1/2 Children solve 20 problems by sharing amounts into equal ? groups. In Year 1, children use concrete and pictorial There are 20 apples altogether. representations to solve problems. They They are shared equally between 5 bags. are not expected to How many apples are in each bag? record division formally. In Year 2, children are introduced to the division symbol. $20 \div 5 = 4$



Skill: Divide 2-digits by 1-digit (sharing with no exchange)


Tens	Ones
000	000
000	000





48

$$48 \div 2 = 24$$




Year: 1/2

When dividing larger numbers, children can use manipulatives that allow them to partition into tens and ones.

Straws, Base 10 and place value counters can all be used to share numbers into equal groups.


Part-whole models can provide children with a clear written method that matches the concrete representation.

Skill: Divide 2-digits by 1-digit (sharing with exchange) Year: 3/4 When dividing numbers involving an 52 Tens exchange, children can use Base 10 and place value counters ? ? to exchange one ten for ten ones. Children should start with the equipment $52 \div 4 = 13$ outside the place 52 value grid before sharing the tens and ones equally between the rows. Flexible partitioning in 000 a part-whole model 000 10 + 3 = 13supports this method.




Skill: Divide 2-digits by 1-digit (grouping)





$$52 \div 4 = 13$$



When using the short division method, children use grouping. Starting with the largest place value, they group by the

divisor.

Year: 4/5


Language is important here. Children should consider 'How many groups of 4 tens can we make?' and 'How many groups of 4 ones can we make?'

Remainders can also be seen as they are left ungrouped.


Skill: Divide 3-digits by 1-digit (sharing)

Year: 4






Н	Т	0
	00	0
100 100	00	0
100 100	0	0
100 000	10	0



$$844 \div 4 = 122$$






Children can continue to use place value counters to share 3digit numbers into equal groups. Children should start with the equipment outside the place value grid before sharing the hundreds, tens and ones equally between the rows. This method can also help to highlight remainders. Flexible partitioning in a part-whole model supports this method.

Skill: Divide 3-digits by 1-digit (grouping)







Hundreds Tens Ones

Children can continue to use grouping to support their understanding of short division when dividing a 3-digit number by a 1-digit number.

Place value counters or plain counters can be used on a place value grid to support this understanding. Children can also draw their own counters and group them through a more pictorial method.

 $856 \div 4 = 214$

Skill: Divide 4-digits by 1-digit (grouping) Year: 5 Place value counters or plain counters can н Th т 0 be used on a place value grid to support children to divide 4digits by 1-digit. Children can also draw their own 2 6 6 4 counters and group 13 2 them through a more pictorial method. Children should be encouraged to move away from the concrete and pictorial when dividing $8,532 \div 2 = 4,266$ numbers with multiple exchanges.

Skill: Divide multi digits by 2-digits (short division) Year: 6 When children begin to divide up to 4digits by 2-digits, 3 0 6 written methods $432 \div 12 = 36$ 7 2 become the most 4 3 12 4 accurate as concrete and pictorial representations become less effective. Children can write out multiples to support their calculations with larger remainders. 0 4 8 9 Children will also $7,335 \div 15 = 489$ 13 3 13₅ 7₃ solve problems with 15 remainders where the quotient can be 45 15 30 60 75 90 105 120 135 150 rounded as appropriate.

Skill: Divide multi-digits by 2-digits (long division) Year: 6 Children can also $12 \times 1 = 12$ 3 0 6 $12 \times 2 = 24$ divide by 2-digit 2 $12 \times 3 = 36$ (x30)numbers using long $12 \times 4 = 48$ $432 \div 12 = 36$ 6 division. $12 \times 5 = 60$ $12 \times 6 = 72$ $(\times 6)$ $12 \times 7 = 84$ Children can write out $12 \times 8 = 96$ multiples to support $12 \times 7 = 108$ their calculations with $12 \times 10 = 120$ larger remainders. 8 $1 \times 15 = 15$ Children will also 15 3 $2 \times 15 = 30$ solve problems with (×400 0 $3 \times 15 = 45$ remainders where the $7,335 \div 15 = 489$ $4 \times 15 = 60$ quotient can be $(\times 80)$ 0 rounded as $5 \times 15 = 75$ appropriate. $10 \times 15 = 150$ 5 $(\times 9)$

Skill: Divide multi digits by 2-digits (long division)

Year: 6

 $372 \div 15 = 24 \text{ r} 12$

			2	4	r	1	2
1	5	3	7	2			
	_	3	0	0			
			7	2			
	_		6	0			
			1	2			

$$1 \times 15 = 15$$

 $2 \times 15 = 30$
 $3 \times 15 = 45$
 $4 \times 15 = 60$
 $5 \times 15 = 75$
 $10 \times 15 = 150$

When a remainder is left at the end of a calculation, children can either leave it as a remainder or convert it to a fraction.
This will depend on the context of the question.

$$372 \div 15 = 24 \frac{4}{5}$$


Children can also answer questions where the quotient needs to be rounded according to the context.


Times Tables Years 2 – 4


Skill	Year	Representations and models		
Recall and use	2	Bar model	Ten frames	
multiplication and		Number shapes	Bead strings	
division facts for the		Counters	Number lines	
2-times table		Money	Everyday objects	
Recall and use	2	Bar model	Ten frames	
multiplication and		Number shapes	Bead strings	
division facts for the		Counters	Number lines	
5-times table		Money	Everyday objects	
Recall and use	2	Hundred square	Ten frames	
multiplication and		Number shapes	Bead strings	
division facts for the		Counters	Number lines	
10-times table		Money	Base 10	


Skill	Year	Representations and models		
Recall and use multiplication and division facts for the 3-times table	3	Hundred square Number shapes Counters	Bead strings Number lines Everyday objects	
Recall and use multiplication and division facts for the 4-times table	3	Hundred square Number shapes Counters	Bead strings Number lines Everyday objects	
Recall and use multiplication and division facts for the 8-times table	3	Hundred square Number shapes	Bead strings Number tracks Everyday objects	
Recall and use multiplication and division facts for the 6-times table	4	Hundred square Number shapes	Bead strings Number tracks Everyday objects	


Skill	Year	Representations and models		
Recall and use multiplication and division facts for the 7-times table	4	Hundred square Number shapes	Bead strings Number lines	
Recall and use multiplication and division facts for the 9-times table	4	Hundred square Number shapes	Bead strings Number lines	
Recall and use multiplication and division facts for the 11-times table	4	Hundred square Base 10	Place value counters Number lines	
Recall and use multiplication and division facts for the 12-times table	4	Hundred square Base 10	Place value counters Number lines	


















Skill: 9 times table



9	18	27	36	45	
54	63	72	81	90	

	1	2	3	4	5	6	7	8	9	10
	11	12	13	14	15	16	17	(18)	19	20
	21	22	23	24	25	26	27	28	29	30
	31	32	33	34	35	<u>36</u>	37	38	39	40
	41	42	43	44	45	46	47	48	49	50
	51	52	53	54)	55	56	57	58	59	60
	61	62	63	64	65	66	67	68	69	70
	71	72	73	74	75	76	77	78	79	80
(81)	82	83	84	85	86	87	88	89	99
	91	92	93	94	95	96	97	98	99	100



Encourage daily counting in multiples both forwards and backwards. This can be supported using a number line or a hundred square. Look for patterns in the nine times table, using concrete manipulatives to support. Notice the pattern in the tens and ones using the hundred square to support as well as

noting the odd, even

pattern within the

multiples.


Year: 4

Skill: 7 times table




7	14	21	28	35	
42	49	56	63	70	


1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21)	22	23	24	25	26	27	28)	29	30
31	32	33	34	35)	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	<u>56</u>	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	⊘	78	79	80
81	82	83	84)	85	86	87	88	89	90
91)	92	93	94	95	96	97	98	99	100



Year: 4

Encourage daily counting in multiples both forwards and backwards, supported by a number line or a hundred square. The seven times table can be trickier to learn due to the lack of obvious pattern in the numbers, however they already know several facts due to commutativity. Children can still see the odd, even pattern in the multiples using number shapes to support.





Glossary

Addend - A number to be added to another.

Aggregation - combining two or more quantities or measures to find a total.

Augmentation - increasing a quantity or measure by another quantity.

Commutative - numbers can be added in any order.

Complement – in addition, a number and its complement make a total e.g. 300 is the complement to 700 to make 1,000

Difference – the numerical difference between two numbers is found by comparing the quantity in each group.

Exchange – Change a number or expression for another of an equal value.

Minuend – A quantity or number from which another is subtracted.

Partitioning – Splitting a number into its component parts.

Reduction - Subtraction as take away.

Subitise – Instantly recognise the number of objects in a small group without needing to count.

Subtrahend - A number to be subtracted from another.

Sum - The result of an addition.

Total – The aggregate or the sum found by addition.

Glossary

Array – An ordered collection of counters, cubes or other item in rows and columns.

Commutative – Numbers can be multiplied in any order.

Dividend – In division, the number that is divided.

Divisor – In division, the number by which another is divided.

Exchange – Change a number or expression for another of an equal value.

Factor – A number that multiplies with another to make a product.

Multiplicand – In multiplication, a number to be multiplied by another.

Partitioning – Splitting a number into its component parts.

Product – The result of multiplying one number by another.

Quotient - The result of a division

Remainder – The amount left over after a division when the divisor is not a factor of the dividend.

Scaling – Enlarging or reducing a number by a given amount, called the scale factor